




ImageScanTool Installation Notes

How to use Uninstall.sh.


- (1) Copy **Uninstall.sh** to a convenient directory. If you do not know which directory is better, you can just move **Uninstall.sh** to the Desktop directory by dragging the **Uninstall.sh** file into the desktop of your Mac.



- (2) Open a **Terminal.app** in **/Applications/Utilities**.
- (3) Goto the directory which contains Uninstall.sh. If you drag **Uninstall.sh** to the desktop, this directory will be **~/Desktop**. You can type in command "**cd ~/Desktop**" to change to Desktop directory. During this step, there may be a little dialog window to ask you for the permission. Please select **OK** in order to acquire the permission of changing into Desktop directory.




- (4) In order to make sure **Uninstall.sh** still keep the correct permission to execute, you can type in command “**ls -l Uninstall.sh**” to check the file permission. The correct file permission should be “**-rwxr-xr-x@**” in the front of file information.




```
Chih-Weis-Mac-mini:~ cwchang$ cd ~/Desktop/
Chih-Weis-Mac-mini:Desktop cwchang$ ls -l Uninstall.sh
-rwxr-xr-x@ 1 cwchang  staff  3342 Apr 12 02:01 Uninstall.sh
Chih-Weis-Mac-mini:Desktop cwchang$
```

- (5) If the file permission is incorrect, you can use the command “**sudo chmod 755 Uninstall.sh**” to change the permission to the correct setting. The system will show “**Password:**” prompt. Please key in your superuser password.



```
Chih-Weis-Mac-mini:Desktop cwchang$ sudo chmod 755 Uninstall.sh
Password:␣
```

- (6) Now you can type a command “**./Uninstall.sh**” to execute this shell script to uninstall the helper program. If the system shows “**Password:**” prompt, please key in your superuser password to authorize this uninstallation procedure.



```
Chih-Weis-Mac-mini:Desktop cwchang$ ./Uninstall.sh
Password:␣
```


(7) After the execution of this command, the user can start installing the ImageScanTool App.

PS:


Uninstall.sh is only needed, when the Mac had been installed with the old ImageScanTool before. This script is used to remove the helper in old version. The totally brand new installation does not need to run this script.

Installation procedure


- (A) Click ImageScanTool-XXX.dmg to mount the installation driver.
- (B) Drag the ImageScanTool icon on the Application folder driver to install the App.




- (C) There will be a helper installation window to ask the user to input the superuser password in order to install the helper for the ImageScanTool App.



- (D) Another window will appear to ask the user's permission to access the USB scanner. Please click OK button.



(E) The user can check the “Security & Privacy” section of the “System Preferences”. There will be an ImageScanTool item with checked box. It means the permission of accessing the USB scanner is granted to the App.



(F) Now the ImageScanTool will be executed successfully.

